

# BETRIEBSEINRICHTUNGEN 2018/19 SPECIAL

WORKPLACE UP TO DATE

Valid till 31.03.2019

**bedrunka+hirth**  
BETRIEBSEINRICHTUNGEN

MADE IN GERMANY

EXPRESS 72h

FE 100 kg 100%

**Drawer cabinet**  
9 drawers  
Drawers with full extension  
100%, load capacity 100 kg

Ref. No. 700/1710V10A

More information s. page 3



**Workbench**  
8 drawers  
Drawers with full extension  
100%, load capacity 100 kg

Ref. No. 03.14.18VA

... more work space

# Content

Products of the front page	page 3
Drawer cabinets	page 4
CNC-tool storing systems	page 8
Workbenches and workstations	page 11
Mobile logistic-systems	page 24
Chairs, computer cabinets	page 29
Racks, Flex-Box, Cabinet with hinged doors, lockers	page 30
Tool Server Modular (TSM®)	page 32

## Standard colors

- Environment-friendly powder-coating, 2-tone-combinations without supplement
- Please, indicate the colour/colours in your order. When not indicated, we deliver the product in the standard color light grey ( 7035) and light blue (RAL 5012)**

<b>RAL 1023</b> Verkehrsgelb	<b>RAL 3003</b> Rubinrot	<b>RAL 3020</b> Verkehrsröt	<b>RAL 5010</b> Enzianblau	<b>RAL 5012</b> Lichtblau	<b>RAL 5013</b> Kobaltblau	<b>RAL 6011</b> Resedagrün	<b>RAL 7016</b> Anthrazitgrau	<b>RAL 7035</b> Lichtgrau	<b>RAL 7040</b> Fenstergrau	<b>RAL 9005</b> Tiefschwarz
---------------------------------	-----------------------------	--------------------------------	-------------------------------	------------------------------	-------------------------------	-------------------------------	----------------------------------	------------------------------	--------------------------------	--------------------------------

## Drawer extension



All drawers depth 736 fitted with full extension 100 %

- Drawers with front height 50 mm - load capacity 70 kg
- Drawers with front height 75 mm - load capacity 100 kg
- Ball guided rails

## Express 72 h



Dispatch within 72 hours in standard colours according to the pictures

## Certificate



**TÜV-GS-certificate for all drawer cabinets in depth 736 mm**

## Upgrade: Electronic locking system

- Electronic user panel 0-9 (ABS)
- Electromechanical knob
- Battery (3 x AAA Alkaline)
- Master-/Usercode (4-12-digit)



Ref.no.	Amount (unit)
ML32HPVH1A	1

More information on our Youtube channel



PRODUCTS OF  
THE  
FRONT PAGE

- Drawers with full extension 100%
- Drawers with front height 50 mm - load capacity 70 kg
- Drawers with front height 75 mm and more - load capacity 100 kg
- Drawer interior dimension: 600 x 600 mm
- Ball guided rails
- Anti-tilt device

50 FE  
100 FE  
100 FE  
100 FE  
100 FE  
100 FE  
100 FE  
100 FE  
100 FE  
150 FE



**Drawer cabinet R 24-24**

- 9 x drawers

Ref.no.	Dimensions (W x D x H) mm
700/1710V10A	705 x 736 x 1019

EXPRESS  
72h

- Drawers with full extension 100%, load capacity 100 kg
- Drawer interior dimension: 450 x 600 mm
- Worktop in beech multiplex 40 mm



■ left: 4 x drawers | right: 4 x drawers  
**Multi-Board**

- 2 x Uprights 650 mm high, 2 x perforated panels 1500 x 302 mm
- 1 x inclined shelf 1500 x 220 mm



EXPRESS  
72h

Ref.no.	Dimensions (W x D x H) mm
03.14.18VA	Workbench, 1500 x 750 x 859
03.14.18V9A	Workbench, 1500 x 750 x 959
03.900.15.18A	Multi-Board*

\*according to photo incl. Small parts boxes and hooks, without tools

- Drawers with full extension 100%, load capacity 100 kg
- Drawer interior dimension: 450 x 600 mm
- Ball guided rails
- Anti-tilt device

PLEASE, SEE  
SPECIAL PRICE  
FOR 2 UNITS




**Pallet truck plinth**

- Steel sheet in front and rear screwed
- Including fixing material

Ref.no.	Dimensions (W x D x H) mm
01.070.012A	705 x 736 x 100
01.100.012A	1005 x 736 x 100

EXPRESS  
72h



**Workbench R 18-24 - 1 item**

- Worktop in beech multiplex 40 mm
- Shelf in half depth

Ref.no.	Dimensions (W x D x H) mm	Packaging Unit
03.14.32VA	1500 x 750 x 859	1 item
		2 item

### Drawer cabinets depth 736 | 705 x 736 x 819 mm (W x D x H) | R 24-24

- Drawers with full extension 100%
- Drawers with front height 50 mm - load capacity 70 kg
- Drawers with front height 75 mm and more - load capacity 100 kg
- Drawer interior dimension: 600 x 600 mm
- Ball guided rails
- Anti-tilt device



- 5 x drawers

Ref.no.  
780/0221V10A



- 6 x drawers

Ref.no.  
780/1311V10A




- 7 x drawers

Ref.no.  
780/0700V10A


### 705 x 736 x 919 mm (W x D x H)

### 705 x 736 x 1319 mm (W x D x H)




- 6 x drawers

Ref.no.  
790/1131V10A



- 8 x drawers

Ref.no.  
790/0800V10A



- 10 x drawers

Ref.no.  
713/2422V10A


### Accessories for interior dimensions 600 x 600 mm



#### Ribbed rubber inserts

- Front 50-200 mm

Ref.no.  
140A



#### Trough plates

- Front 50-75 mm


Ref.no.  
130A



#### Small parts boxes

- Front 75 - 100 mm

Ref.no.  
132A



#### Small parts boxes

- Front 75 - 100 mm

Ref.no.  
134A



#### Metal dividers

- Front 100 mm

Ref.no.  
139BLH100A

more dividing kits s. page 5 and 21

**Drawer cabinets depth 736 | 705 x 736 x 1019 mm (W x D x H) | R 24-24**

- Drawers with full extension 100%
- Drawers with front height 50 mm - load capacity 70 kg
- Drawers with front height 75 mm and more - load capacity 100 kg
- Drawer interior dimension: 600 x 600 mm
- Ball guided rails
- Anti-tilt device



■ 6 x drawers

**EXPRESS**  
**72h**

Ref.no.  
700/1131V10A



**BESTSELLER**

■ 6 x drawers

**EXPRESS**  
**72h**

Ref.no.  
700/1122V10A



■ 7 x drawers

**EXPRESS**  
**72h**

Ref.no.  
700/1321V10A



■ 8 x drawers

**EXPRESS**  
**72h**

Ref.no.  
700/2321V10A



■ 9 x drawers

**EXPRESS**  
**72h**

Ref.no.  
700/0900V10A



■ 9 x drawers

**EXPRESS**  
**72h**

Ref.no.  
700/2223V10A

**Accessories for interior dimensions 600 x 600 mm**



**Metal dividers**

- Front 100 mm

Ref.no.  
138BLH100A



**Metal dividers**

- Front 100 mm

Ref.no.  
146BLH100A



**Metal dividers**

- Front 150 mm

Ref.no.  
139BLH150A



**Metal dividers**

- Front 150

Ref.no.  
144BLH150A



**Metal dividers**


- Front 200 mm

Ref.no.  
146BLH200A


More dividing s. page 4 and 21

## Drawer cabinets depth 736 | 1005 x 736 x 1019 mm (W x D x H) | R 36-24

- Drawers with full extension 100%
- Drawers with front height 50 mm - load capacity 70 kg
- Drawers with front height 75 mm and more - load capacity 100 kg
- Drawer interior dimension: 900 x 600 mm
- Ball guided rails
- Anti-tilt device



**BESTSELLER**



- 8 x drawers

Ref.no.

100/2321V10A




- 6 x drawers

Ref.no.

100/0222V10A

## 1005 x 736 x 1019 mm (W x D x H)



- 7 x drawers

Ref.no.

100/1231V10A

## 1005 x 736 x 1519 mm (W x D x H)



- 12 x drawers

Ref.no.

115/0921V10A

## Accessories for interior dimensions 900 x 600 mm




### Trough plates

- Front 50 mm

Ref.no.

150A



### Metal dividers

- Front 100 mm

Ref.no.

153BLH100A




### Metal dividers

- Front 100 mm

Ref.no.

154BLH100A



### Metal dividers

- Front 150 mm

Ref.no.

153BLH150A



### Metal dividers

- Front 200 mm

Ref.no.

166BLH200A

### Drawer cabinets depth 500 | 680 x 500 x 1019 mm (W x D x H) | R 24-16


- Drawers with full extension 100%, load capacity 100 kg
- Drawer interior dimension: 600 x 400 mm

**BESTSELLER**



■ 6 x drawers

Ref.no.
60.303A



■ 7 x drawers

Ref.no.
60.340A



■ 8 x drawers

Ref.no.
60.701A



■ 9 x drawers

Ref.no.
60.900A

### Accessories for interior dimensions 600 x 400 mm



**Ribbed rubber inserts**

- Front 50-200 mm

Ref.no.
65.068.530A



**Small parts boxes**

- Front 100 mm


Ref.no.
168-132A



**Metal dividers**

- Front 100 mm


Ref.no.
168-139A



**Metal dividers**

- Front 150 mm

Ref.no.
168-135A




**Metal dividers**

- Front 200 mm

Ref.no.
168-144A

### Drawer cabinets depth 500 | 980 x 500 x 1019 mm (W x D x H) | R 36-16

- Drawers with full extension 100%, load capacity 100 kg
- Drawer interior dimension: 600 x 400 mm




■ 6 x drawers

Ref.no.
90.303A



■ 7 x drawers

Ref.no.
90.340A



■ 8 x drawers

Ref.no.
90.701A



■ 9 x drawers

Ref.no.
90.900A

### Accessories for interior dimensions 900 x 400 mm



**Ribbed rubber inserts**

- Front 50-200 mm

Ref.no.
65.098.530A



**Small parts boxes**

- Front 100 mm

Ref.no.
198-132A



**Metal dividers**

- Front 100 mm

Ref.no.
198-139A



**Metal dividers**

- Front 150 mm

Ref.no.
198-136A



**Metal dividers**

- Front 200 mm

Ref.no.
198-144A

# CNC-tool storing systems

## CNC-Bench stands and CNC-Cabinets



### Inserts

- This system is the most flexible available.
- The black plastic inserts are clipped into the heavy gauge steel tool carrier through a series of rebated slots.
- No fasteners are required to locate the inserts which can also be quickly removed by depressing the integral locking lug.

### CNC E1

49 x 103 x 17 mm (W x D x H)
ISO / SK 30
VDI 25
Cyl / VDI 30
MK3
MK4
Capto C 4

### CNC E2

74 x 103 x 17 mm (W x D x H)
SK 40
Cyl / VDI 40
HSK A 50 / B 63
HSK A 63 / B 80
MK 5
Capto C 5

### CNC E3

99 x 103 x 17 mm (W x D x H)
ISO / SK 50
VDI 50
HSK A 32 / B 40
HSK A 40 / B 50
HSK A 80 / B 100
HSK A 100 / B 125
Universal
Capto C 3
Capto C 6
Capto C 8

- 2 x or 4 x cassette, shelf, rubber mat and grips



### CNC- Table rack attachment TAG 2

- with 2 floors incl. inserts

Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.2210A	425 x 375 x 300	10/14*	10/10*	6/6*
02.2214A	575 x 375 x 300	14/20*	14/14*	8/10*

EXPRESS  
72h



**BESTSELLER**


### CNC- Table rack attachment TAG 4

- with 4 floors incl. inserts

Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.2420A	425 x 375 x 525	20/28*	20/20*	12/12*
02.2428A	575 x 375 x 525	28/40*	28/28*	16/20*

EXPRESS  
72h

- Drawer full extension 100 % (FE)
- Drawers with front height 50 mm - load capacity 70 kg
- Drawers with front height 75 mm and more - load capacity 100 kg
- Drawers with front height 300 mm - load capacity 180 kg



### CNC-Drawer cabinet T736 R 24-24

- 4 x drawers
- Including 1 oder 2 CNC frames
- W x D x H: 705 x 736 x 1019 mm
- Drawer interior dimension: 600 x 600 mm

Ref.no.	Version	CNC E1	CNC E2	CNC E3
02.2140/1RVA	1 x drawer frames	35/50*	35/35*	20/25*
02.2140/2RVA	2 x drawer frames	70/100*	70/70*	40/50*

\* 1st figure: quantity of the inserts included type E1 or E2 or E3. 2nd figure: maximum of the inserts possible in the carrier of each type E1 or E2 or E3. Please, mention the tool inserts, without indication we supply ISO/SK 40. Delivery without tools.





02.2118.04/3A

**CNC-double swing doors T500 R 36-16**

- 3 x CNC-tool frames inclined
- 1 x shelf
- Incl. CNC-inserts

Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.2118.04/3A	980 x 500 x 1838	66/144*	66/99*	45/72*

**CNC-double swing doors T500 R 36-16**

- 4 x CNC-tool frames inclined
- Incl. CNC-inserts

Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.2118.04A	980 x 500 x 1838	80/192*	80/132*	52/96*



02.289.00A

**CNC-roller shutter cabinet T500 R 36-16**

- Aluminium-Roller
- 4 x CNC frames can be used inclined or flat
- Incl. CNC-inserts

Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.289.00A	1000 x 500 x 1950	80/192*	80/132*	52/96*

**CNC-roller shutter cabinet T500 R 36-16**

- Aluminium-Roller
- 3 x CNC frames can be used inclined or flat
- 1 x shelf
- Incl. CNC-inserts

Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.289.01/3A	1000 x 500 x 1950	66/144*	66/99*	45/72*



**CNC-roller shutter cabinet T500 R 36-16**

- Plastic Roller
- 4 x CNC frames can be used inclined or flat
- Incl. CNC-inserts

Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.295.00A	1000 x 500 x 1950	80/192*	80/132*	52/96*



**CNC-roller shutter cabinet T500 R 36-16**

- Plastic Roller
- 3 x CNC frames can be used inclined or flat
- 1 x shelf
- Incl. CNC-inserts

Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.295.01/3A	1000 x 500 x 1950	66/144*	66/99*	45/72*

\* 1st figure: quantity of the inserts included type E1 or E2 or E3. 2nd figure: maximum of the inserts possible in the carrier of each type E1 or E2 or E3. Please, mention the tool inserts, without indication we supply ISO/SK 40. Delivery without tools.

# CNC-tool storing systems

## CNC-Transport systems

- Drawer full extension 100 % (FE)
- Drawers with front height 50 mm - load capacity 70 kg
- Drawers with front height 75 mm and more - load capacity 100 kg
- Drawers with front height 300 mm - load capacity 180 kg



- **CNC-Drawer cabinet T736 R 18-24 mobile**
- 2 x fixed and 2 x swivel wheels ø125 mm. The swivel wheels with brake
- 1 x CNC-drawer frame 450 (SR)
- Incl. CNC-inserts
- Delivery without ribbed rubber inserts



Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.2580.4RVB	555 x 736 x 1005	25/35*	25/25*	15/15*

## Optimal storage and transport



### CNC-Trolley for tool carriers

- 2 x fixed and 2 x swivel wheels ø125 mm. The swivel wheels with brake
- Incl. 6 x CNC-Tol carrier 600
- The carriers at bottom can be ordered separately
- 1 x shelf at the bottom
- Incl. CNC-inserts



Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.288.06A	630 x 900 x 860	42/60*	42/42*	25/30*

**BESTSELLER**



### CNC-mobile cabinet

- 2 x fixed and 2 x swivel wheels ø125 mm. The swivel wheels with brake
- 6 x CNC-Tool carrier 600 or 900
- Incl. CNC-inserts

Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.285.07A	560 x 630 x 950	30/60*	30/42*	20/30*
02.285.01A	560 x 930 x 950	48/96*	48/66*	34/48*

### CNC-Shed

- Locking with cylinder lock

Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.86.07A	705 x 736 x 1019	—	—	—
02.86.01A	705 x 1003 x 1019	—	—	—



### CNC-Trolley

- 2 x fixed and 2 x swivel wheels ø125 mm. The swivel wheels with brake
- 4 x CNC-wide tool holders 900
- 4 x CNC-narrow tool holders 900
- 1 x top shelf
- Incl. CNC-inserts



Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.58.44A	990 x 610 x 1450	84/192*	84/132*	64/96*

\* 1st figure: quantity of the inserts included type E1 or E2 or E3. 2nd figure: maximum of the inserts possible in the carrier of each type E1 or E2 or E3. Please, mention the tool inserts, without indication we supply ISO/SK 40. Delivery without tools.

## Modular workbenches

workbenches and workstations

- Delivered unassembled



### Foot with stepless height adjustment

- Adjustment of 200 mm

EXPRESS  
72h

Ref.no.	Dimensions (W x D x H) mm
03.90.01HVA	150 x 650 x 819 - 1019



### Workbench

- Worktop beech multiplex 40 mm
- 2 x double Feet
- 1 x storage shelf on the bottom in half Depth

kg  
200

EXPRESS  
72h

Ref.no.	Dimensions (W x D x H) mm
03.15.000.2A	1500 x 750 x 859
03.20.000.2A	2000 x 750 x 859



### Workbench

- Worktop beech multiplex 40 mm
- 2 x double Feet
- Adjustable height

kg  
200

EXPRESS  
72h

Ref.no.	Dimensions (W x D x H) mm
03.15.000.4A	1500 x 750 x 859 - 1059
03.20.000.4A	2000 x 750 x 859 - 1059



### Workbench

- Worktop beech multiplex 40 mm
- 2 x double Feet
- 1 x storage shelf on the bottom in half Depth
- Adjustable height

kg  
200

EXPRESS  
72h

Ref.no.	Dimensions (W x D x H) mm
03.15.000.3A	1500 x 750 x 859 - 1059
03.20.000.3A	2000 x 750 x 859 - 1059

## Workbenches and Worktables

- Delivery completely assembled




### Workbench

- Worktop in beech multiplex 40 mm
- Frame 40 x 40 x 2 mm
- Shelf in half depth

kg  
200

Ref.no.	Dimensions (W x D x H) mm
03.14.30A	1500 x 750 x 859
03.19.30A	2000 x 750 x 859

150 FE



### Workbench with drawer block

- Worktop in beech multiplex 40 mm
- Frame 40 x 40 x 2 mm, with insered nuts
- Shelf in half depth
- Drawer block: 1 x drawer 150 mm

kg  
200

Ref.no.	Dimensions (W x D x H) mm
03.14.31VA	1500 x 750 x 859
03.19.31VA	2000 x 750 x 859

# Workbenches and workstations

## 6-fold-workbench

- Drawers with full extension 100% - load capacity 100 kg
- Worktop in beech multiplex 40 mm
- 6 x Drawer cabinets R 18-24 each 5 x drawers
- 6 steel sheets
- Energy ramp separately see below



**BESTSELLER**



100 FE  
100 FE  
150 FE  
150 FE  
200 FE

Ref.no.	Dimensions (W x D x H) mm
03.066.05V10A	2500 x 2165 x 859



### 6-fold energy ramp


- 2 sockets each working place
- Cover in beech multiplex

Ref.no.	Dimensions (W x D x H) mm
03.66.73-2A	822 x 712 x 162

### Steel sheet (without single photo)

- To cover the space between the cabinets

Ref.no.	Version
03.58.20A	Steel sheet



### 6-fold worktop

- Beech multiplex, delivery in 2 parts with connection
- Length each working place 1250 mm

Ref.no.	Dimensions (W x D x H) mm	Version
03.15.66A	2500 x 2165 x 40	6-fold-worktop

**Drawer cabinets T 736 | 555 x 736 x 819 mm (W x D x H) | R 18-24**

- Drawers with full extension 100%
- Drawers with front height 75 mm - load capacity 70 kg
- Drawers with front height 75 mm and more - load capacity 100 kg
- Drawer interior dimension: 450 x 600 mm
- Ball guided rails
- Anti-tilt device



- 4 x drawers

Ref.no.  
580/1111VB



- 7 x drawers

Ref.no.  
580/0700V10A



- with 2 separate locking systems
- Each 3 x drawers

Ref.no.  
580/2.600V10A

**BESTSELLER**



- 6 x drawers

Ref.no.  
580/1311V10A

**EXPRESS**  
**72h**



- 5 x drawers

Ref.no.  
580/0221V10A

**EXPRESS**  
**72h**



- 6 x drawers

Ref.no.  
580/2121V10A

**Accessories for interior dimensions 450 x 600 mm**


More dividing s. page 18 and 19



**Trough plates**

- Front 50-75 mm

Ref.no.  
111A



**Ripped rubber inserts**

- Front 50-200 mm


Ref.no.  
120A



**Small parts boxes**

- Front 100 mm

Ref.no.  
119A



**Metal dividers**

- Front 150 mm

Ref.no.  
113A



**Metal dividers**


- Front 200 mm

Ref.no.  
118A

# Workbenches and workstations

## Modular workbench

- Drawers with full extension 100%
- Drawers with front height 75 mm - load capacity 70 kg
- Drawers with front height 75 mm and more - load capacity 100 kg
- Drawer interior dimension: 450/600 x 600 mm
- Modular workbenches: Delivered unassembled



### Modular workbench – individual components

Pos.	Ref.no.	Dimensions (W x D x H) mm	Version
1*	03.15.40B	1500 x 750 x 40	Top beech in multiplex 40 mm
2*	03.20.40B	2000 x 750 x 40	Top beech in multiplex 40 mm
3*	03.90.01B	150 x 650 x 819	Foot 50 x 50 x 2 mm
4	520/1VB	555 x 736 x 208	Drawer block T736 R 18-24, BLH 150 mm, on request also lockable
	520/1BM	–	Additional price with lock (adapted fpr Ref.no. 520/1B)
5	535/111VB	555 x 736 x 358	Drawer block T736 R 18-24, 1 x drawer 50 mm, 1 x drawer 100 mm, 1 x drawer 150 mm
	535/111BM	–	Additional price with lock (adapted for Ref.no. 535/111B)
6a*	580/0022VB	555 x 736 x 819	Drawer cabinet T736 R 18-24, 2 x drawers 150 mm, 2 x drawers 200 mm
6b	580/1111VB	555 x 736 x 819	Drawer cabinet T736 R 18-24, 1 x drawer 50 mm, 1 x drawer 150 mm, 1 x drawer 200 mm, 1 x drawer 300 mm
7a	780/0022VB	705 x 736 x 819	Drawer cabinet T736 R 24-24, 2 x drawers 150 mm, 2 x drawers 200 mm
7b	780/1111VB	705 x 736 x 819	Drawer cabinet T736 R 24-24, 1 x drawer 50 mm, 1 x drawer 150 mm, 1 x drawer 200 mm, 1 x drawer 300 mm

### Modular workbench T 750 | 1500 /2000 x 750 x 859 mm (W x D x H) | R 18-24



- 1 x drawer not lockable
- Supplement for cylinder lock - see table above
- 3 x drawers not lockable
- Supplement for cylinder lock - see table above

Ref.no.	Dimensions (W x D x H) mm
03.15.520.1VA	1500 x 750 x 859
03.20.520.1VA	2000 x 750 x 859

Ref.no.	Dimensions (W x D x H) mm
03.15.535.2VA	1500 x 750 x 859
03.20.535.2VA	2000 x 750 x 859

**Modular workbench T 750 | 2000 x 750 x 859 mm (W x D x H) | R 18-24/24-24**

- Drawers with full extension 100%, load capacity 100 kg
- Delivered unassembled

**Energy ramp with 2 supports for the worktop**

- Complete with 1 kit with 3 sockets and on/off switch and cable 2m long

Ref.no.	Dimensions (W x D x H) mm
07.861.15.74A	1500 x 60 x 130
07.861.20.74A	2000 x 60 x 130

**Modular workbench R24-24**

- Drawer cabinet 555 mm wide, 4 x drawers

Ref.no.	Dimensions (W x D x H) mm
03.15.580.4VA	1500 x 750 x 859
03.20.580.4VA	2000 x 750 x 859

EXPRESS  
72h



**R24-24**

- Drawer cabinets 705 mm wide, 4 x drawers

Ref.no.	Dimensions (W x D x H) mm
03.20.780.4VA	2000 x 750 x 859

**R18-24**

- Drawer cabinets 555 mm breit, 8 x drawers

Ref.no.	Dimensions (W x D x H) mm
03.20.580.20VA	2000 x 750 x 859

EXPRESS  
72h



**Heavy load table**

- Worktop in beech multiplex 40 mm
- Welded and bolted, from U-sections 75 x 50 x 2 mm
- Adjustable height in a raster of 25 mm
- Delivered unassembled (with mounting instruction)

Ref.no.	Dimensions (W x D x H) mm
03.10.000.6A	1000 x 750 x 734 - 1084
03.15.000.6A	1500 x 750 x 734 - 1084
03.20.000.6A	2000 x 750 x 734 - 1084



# Workbenches and workstations

## Wall hanging cabinets and workbenches

**BESTSELLER**



03.080.001A



03.040.091A



03.080.101A



03.04.191A

### Wall hanging cabinet with door/doors

- with steel sheet in the rear
- 1 shelf

Ref.no.	Dimensions (W x D x H) mm	Version
03.040.091A	400 x 300 x 600	View window door
03.080.091A	800 x 300 x 600	View window doors
03.040.001A	400 x 300 x 600	Metal door
03.080.001A	800 x 300 x 600	Metal doors

### Wall hanging cabinet with door/doors

- with perforated panel in the rear
- 1 shelf

Ref.no.	Dimensions (W x D x H) mm	Version
03.040.191A	400 x 300 x 600	View window door
03.080.191A	800 x 300 x 600	View window doors
03.040.101A	400 x 300 x 600	Metal door
03.080.101A	800 x 300 x 600	Metal doors

## Workbenches

- Drawers with full extension 100%, load capacity 100 kg
- Total load capacity 1000 kg



150 FE  
450



150 FE  
450



150 FE  
150 FE  
150 FE  
150 FE

### Workbench T736 R 18-24

- Worktop in beech multiplex 40 mm
- 1 x drawer, 1 x hinged door
- Drawer interior dimension: 450 x 600 mm

Ref.no.	Dimensions (W x D x H) mm
03.055.02VA	810 x 750 x 859
03.055.02V9A	810 x 750 x 959

### Workbench T736 R 24-24

- Worktop in beech multiplex 40 mm
- 1 x drawer, 1 x hinged door
- Drawer interior dimension: 600 x 600 mm

Ref.no.	Dimensions (W x D x H) mm
03.075.02VA	810 x 750 x 859
03.075.02V9A	810 x 750 x 959

### Workbench T736 R 24-24

- Worktop in beech multiplex 40 mm
- 4 x drawers
- Drawer interior dimension: 600 x 600 mm

Ref.no.	Dimensions (W x D x H) mm
03.075.04VA	810 x 750 x 859
03.075.04V9A	810 x 750 x 959

**EXPRESS**  
**72h**

## Accessories for interior dimensions 600 x 600 mm



### Ribbed rubber inserts

- Front 50-200 mm



### Metal dividers

- Front 150 mm



### Small parts boxes

- Front 100-150 mm



### Metal dividers

- Front 200 mm



### Adjustable height

- Adjustable height 200 mm
- For 4 feet in a raster of 25 mm
- Load capacity each workbench 500 kg

Ref.no.
03.15.95A



**Workbenches R 18-24 and R 24-24**

workbenches ans workstations

- Drawers with full extension 100%, load capacity 100 kg
- Total load capacity 1000 kg
- Worktop in beech multiplex 40 mm



**R 18-24**

- Left: 1 x drawer, 1 x hinged door | right: 1 x drawer, 1 x hinged door
- Drawer interior dimensions: 450 x 600 mm

Ref.no.	Dimensions (W x D x H) mm
03.12.01VA	1250 x 750 x 859
03.12.01V9A	1250 x 750 x 959



**R 18-24**

- Left: 1 x hinged door, 1 x shelf | right: 4 x drawers
- Drawer interior dimensions: 450 x 600 mm

Ref.no.	Dimensions (W x D x H) mm
03.14.19VA	1500 x 750 x 859
03.14.19V9A	1500 x 750 x 959



**R 18-24**

- Left: 4 x drawers | right: 3 x drawers
- Drawer interior dimensions: 450 x 600 mm

**Multi-board**

- 2 x Uprights 650 mm high, 2 x perforated panels 2000 x 302 mm
- 1 x inclined shelf 2000 x 320 mm


Ref.no.	Dimensions (W x D x H) mm	Version
03.19.29VA	2000 x 750 x 859	workbench
03.19.29V9A	2000 x 750 x 959	workbench
03.900.20.25A*	2000 x 650	Multi-Board*

**Workbench lifting system**

- Dynamical load max. 450 kg
- Static load max. 1000 kg
- 2 fixed and 2 swivel wheels ø80 mm in polyamide
- Not possible for workbenches with half-shelf
- Only available for workbench height 859 mm
- Not possible for workbenches with semi-shelf

Ref.no.	For workbench wide in mm
03.HUB12075A	1200
03.HUB15075A	1500
03.HUB20075A	2000

\*according to photo incl. small parts boxes and hooks, without tools



**R 24-24**

- Left: 1 x hinged door 600 mm, 1 x shelf
- Right: 4 x drawers
- Delivery without perforated panel
- Drawer interior dimensions: 600 x 600 mm


Ref.no.	Dimensions (W x D x H) mm	Version
03.15.19VA	1500 x 750 x 859	workbench
03.15.19V9A	1500 x 750 x 959	workbench
03.81.103A	1500 x 450	perforated panel (without hooks)



# Workbenches and workstations

## Workbench R 18-24

- Drawers with full extension 100%, load capacity 100 kg
- Drawer interior dimensions: 450 x 600 mm
- Total load capacity 1000 kg
- Delivery completely assembled



Perforated panel  
s. page 18 below

- Worktop in beech multiplex 40 mm
- Left: 1 x shelf in half depth
- Right: 1 x drawer, 1 x hinged door
- Perforated panel with 2 supports (without hooks)



### Set of 31 hooks

Ref.no.

03.82.395A



### Adjustable height

- Adjustable height 200 mm
- For 4 feet in a raster of 25 mm
- Load capacity each workbench 500 kg

Ref.no.

03.15.95A

Ref.no.	Dimensions (W x D x H) mm
03.14.12VA	1500 x 750 x 859
03.19.12VA	2000 x 750 x 859

Ref.no.	Dimensions (W x D x H) mm
03.14.12V9A	1500 x 750 x 959
03.19.12V9A	2000 x 750 x 959

### EXPRESS 72h

- Worktop in beech multiplex 40 mm
- Left: 1 x shelf in half depth
- Right: 3 x drawers



Ref.no.	Dimensions (W x D x H) mm
03.14.14VA	1500 x 750 x 859
03.19.14VA	2000 x 750 x 859

Ref.no.	Dimensions (W x D x H) mm
03.14.14V9A	1500 x 750 x 959
03.19.14V9A	2000 x 750 x 959

### EXPRESS 72h

- Worktop in beech multiplex 40 mm
- Left: 1 x shelf in half depth
- Right: 4 x drawers



Ref.no.	Dimensions (W x D x H) mm
03.14.16VA	1500 x 750 x 859
03.19.16VA	2000 x 750 x 859

Ref.no.	Dimensions (W x D x H) mm
03.14.16V9A	1500 x 750 x 959
03.19.16V9A	2000 x 750 x 959

### Perforated panel

- With 2 x fixing supports for workbench width 1500 mm
- With 3 x fixing supports for workbench width 2000 mm



Ref.no.	Dimensions (W x D x H) mm
03.81.103A	1500 x 450
03.81.104A	2000 x 450

delivery without hooks

### Ribbed rubber inserts

Front 50-200 mm

Ref.no.

120A




### Non-slip mat

- 450 x 600 mm

Ref.no.

65.051.731A



### Metal dividers

- Front 150 mm

Ref.no.

116A

**Workbenches R 18-24**

workbenches ans workstations

- Drawers with full extension 100%, load capacity 100 kg
- Drawer interior dimensions: 450 x 600 mm
- Total load capacity 1000 kg
- Worktop in beech multiplex 40 mm



- Left: 1 x drawer, 1 x hinged door
- Middle: 1 x shelf in half depth, back panel
- Right: 1 x drawer, 1 x hinged door
- Delivery without perforated panel

Ref.no.	Dimensions (W x D x H) mm	Version
03.19.22VA	2000 x 750 x 859	Workbench
03.19.22V9A	2000 x 750 x 959	Workbench
03.81.104A	2000 x 450	perforated panel with 3 x fixing supports (without hooks)

**EXPRESS**  
**72h**

- Left: 1 x drawer, 1 x hinged door
- Middle: 1 x shelf in half depth, back panel
- Right: 3 x drawers



Ref.no.	Dimensions (W x D x H) mm
03.19.24VA	2000 x 750 x 859
03.19.24V9A	2000 x 750 x 959

- Left: 1 x drawer, 1 x hinged door
- Mittig: 1 x shelf in half depth, back panel
- Rechts: 4 x drawers




Ref.no.	Dimensions (W x D x H) mm
03.19.26VA	2000 x 750 x 859
03.19.26V9A	2000 x 750 x 959

**Accessories for interior dimensions 450 x 600 mm**



**Metal dividers**  
■ Front 150 mm

Ref.no.
115A



**Metal dividers**  
■ Front 150 mm

Ref.no.
113A



**Metal dividers**  
■ Front 150 mm

Ref.no.
117A



**Metal dividers**  
■ Front 200 mm

Ref.no.
118A

delivery without hooks and tools

# Workbenches and workstations

## Workbench R 24-24

- Drawers with full extension 100%, load capacity 100 kg
- Drawer interior dimensions: 600 x 600 mm
- Total load capacity 1000 kg
- Worktop in beech multiplex 40 mm



- Left: 5 x drawers
- Right: 4 x drawers

Ref.no.	Dimensions (W x D x H) mm
03.15.55VA	1500 x 750 x 859
03.15.55V9	1500 x 750 x 959



- Left: 5 x drawers
- Right: 4 x drawers

Ref.no.	Dimensions (W x D x H) mm
03.15.54V	1500 x 750 x 859
03.15.54V9	1500 x 750 x 959



- Left: 1 x hinged door, 1 x shelf
- Right: 3 x drawers

Ref.no.	Dimensions (W x D x H) mm
03.15.17VA	1500 x 750 x 859
03.15.17V9A	1500 x 750 x 959



- Left: 2 x shelves 300 mm
- Right: 3 x drawers

Ref.no.	Dimensions (W x D x H) mm
03.15.03VA	1500 x 750 x 859
03.15.03V9A	1500 x 750 x 959



- Left: 1 x drawer, 1 x hinged doors
- Right: 1 x drawer, 1 x hinged door

Ref.no.	Dimensions (W x D x H) mm
03.15.01VA	1500 x 750 x 859
03.15.01V9A	1500 x 750 x 959



- Left: 3 x drawers
- Right: 4 x drawers

Ref.no.	Dimensions (W x D x H) mm
03.15.34VA	1500 x 750 x 859
03.15.34V9A	1500 x 750 x 959

**BESTSELLER**

**EXPRESS  
72h**

Dividing s. page 4, 5 and 21

## Workbenches R 24-24

workbenches ans workstations

- **Drawers with full extension 100%, load capacity 100 kg**
- Drawer interior dimensions: 600 x 600 mm
- Total load capacity 1000 kg
- Worktop in beech multiplex 40 mm



- Left: 1 x drawer, 1 x hinged door
- Middle: 2 x shelves 300 mm
- Right: 1 x drawer, 1 x hinged door



Ref.no.	Dimensions (W x D x H) mm
03.20.01VA	2000 x 750 x 859
03.20.01V9A	2000 x 750 x 959

**EXPRESS**  
**72h**

- Left: 1 x hinged door, 1 x shelf
- Middle: 2 x shelves 300 mm
- Right: 4 x drawers




Ref.no.	Dimensions (W x D x H) mm
03.20.16VA	2000 x 750 x 859
03.20.16V9A	2000 x 750 x 959

- Left: 3 x drawers
- Middle: 2 x shelves 300 mm
- Right: 4 x drawers



Ref.no.	Dimensions (W x D x H) mm
03.20.17VA	2000 x 750 x 859
03.20.17V9A	2000 x 750 x 959

### Accessories for interior dimensions 600 x 600 mm




**Ribbed rubber inserts**

- Front 50-200 mm



**Metal dividers**

- Front 150 mm



**Small parts boxes**

- Front 100 - 150 mm



**Metal dividers**

- Front 200 mm



**Adjustable height**

- Adjustable height 200 mm
- For 4 feet in a raster of 25 mm
- Load capacity each workbench 500 kg

Ref.no.
140A

Ref.no.
135A

Ref.no.
134A

Ref.no.
137A

Ref.no.
03.15.95A

Dividing s. page 4 and 5

# Workbenches and workstations

## Multi-Board – Combinations

- Drawers with full extension 100%, load capacity 100 kg
- Drawer interior dimensions: 450 x 600 mm
- Total load capacity 1000 kg




### Workbench T750 R 18-24

- Worktop in beech multiplex 40 mm
- Left: 1 x hinged door, 1 x shelf
- Middle: 3 x drawers
- Right: 1 x hinged door, 1 x shelf

### Multi-Board 2000 mm consists of:

- 3 x Uprights 1250 mm high
- Overhead frame and rail
- 2 x Perforated panels each 1000 x 302 mm
- 2 x Magnetic panels each 1000 x 302 mm
- 1 x Passage for electronic cables with 3 sockets and on/off-switch
- 3 x Shelves 1000 x 320 mm
- 2 x Rails for bins 450 mm
- Set of 8 hooks
- 19 x Bins in different sizes
- Optional: „Waldmann“ light 2 x 36 W, length 1280 mm



Ref.no.	Dimensions (W x D x H) mm	Version
03.19.35VA	2000 x 750 x 859	Workbench
03.19.35V9A	2000 x 750 x 959	Workbench
03.900.20.1A	2000 x 1250	Multi-Board with light
03.900.20.10B	2000 x 1250	Multi-Board without light and Overhead frame

according to photo incl. Small part boxes and hooks, without tools

- Drawers with full extension 100%
- Drawers with front height 75 mm - load capacity 70 kg
- Drawers with front height 75 mm and more - load capacity 100 kg
- Drawer interior dimension: 450 x 600 mm
- Total load capacity 1000 kg

### Workbench T 750 R 18-24

- Worktop beech multiplex 40 mm
- Left: 5 x drawers
- Middle: 3 x drawers
- Right: 1 x hinged door, 1 shelf

### Multi-Board 2000 mm consists of:

- 3 x Uprights height 1250 mm
- Overhead frame and rail
- 2 x Perforated panels each 1000 x 302 mm
- 2 x Magnetic panel each 1000 x 302 mm
- Optional: „Waldmann“ light 2 x 36 W, length 900 mm (each light)



Ref.no.	Dimensions (W x D x H) mm	Version
03.19.36VA	2000 x 750 x 859	Workbench
03.19.36V9A	2000 x 750 x 959	Workbench
03.900.20.2A	2000 x 1250	Multi-Board with light
03.900.20.20B	2000 x 1250	Multi-Board without light and Overhead frame

- Drawers with full extension 100%, load capacity 100 kg
- Drawer interior dimensions: 450 x 600 mm
- Total load capacity 1000 kg



**Workbench T750 R 18-24**

- Worktop beech multiplex 40 mm
- Left: 1 x shelf in half depth
- Right: 5 x drawers

**Multi-Board 1500 mm Consists of:**

- 2 x Uprights height 1250 mm
- Overhead frame and rail
- 1 x Perforated panel 1500 x 302 mm
- 1 x Shelf 1500 x 320 mm
- Set of 8 hooks
- 2 x Rails for bins 300 mm
- 12 x Bins in different sizes
- Optional: „Waldmann“ light 2 x 36 W, length 900 mm



Ref.no.	Dimensions (W x D x H) mm	Version
03.14.15VA	1500 x 750 x 859	Workbench
03.14.15V9A	1500 x 750 x 959	Workbench
03.900.15.320A	1500 x 1250	Multi-Board with light
03.900.15.3200B	1500 x 1250	Multi-Board without light and Overhead frame

- Drawers with full extension 100%, load capacity 100 kg
- Drawer interior dimensions: 600 x 600 mm
- Total load capacity 1000 kg

**Workbench T750 R 24-24**

- Worktop in beech multiplex 40 mm
- Left: 3 x drawers
- Right: 3 x drawers

**Multi-Board 1500 mm Consists of:**

- 2 x Uprights height 1250 mm
- Overhead frame and rail
- 1 x Perforated panel 1500 x 302 mm
- 1 x Magnetic panel 1500 x 302 mm
- 2 x Shelves 1500 x 320 mm
- 1 x Passage for electronic cables with 3 sockets and on/off-switch
- Set of 8 hooks
- 1 x Rails for bins 300 mm
- 20 x Bins in different sizes
- Optional: „Waldmann“ light 2 x 36 W, length 900 mm lang



Ref.no.	Dimensions (W x D x H) mm	Version
03.15.33VA	1500 x 750 x 859	Workbench
03.15.33V9A	1500 x 750 x 959	Workbench
03.900.14.16A	1500 x 1250	Multi-Board with light
03.900.14.160B	1500 x 1250	Multi-Board without light and Overhead frame

according to photo incl. Small part boxes and hooks, without tools

# Mobile logistic systems

## Mobile Drawer cabinets depth 500 R 18-16

- Drawers with full extension 100%
- Load capacity each drawer 50 kg
- Grip handle

**BESTSELLER**



- 4 x drawers
- Ø 80 mm wheels
- Weight 58 kg

Ref.no.	Dimensions (W x D x H) mm
46.301BR80	530 x 500 x 760

- 4 x castor wheels Ø 80 mm, 2 x with locking device
- Drawer interior dimension: 450 x 400 mm




- 5 x drawers
- Ø 80 mm wheels
- Weight 63 kg

Ref.no.	Dimensions (W x D x H) mm
46.500BR80	530 x 500 x 760



- Ribbed rubber inserts**
- Front 50-200 mm

Ref.no.
65.046.531A



- Metal dividers**
- Front 100 mm

Ref.no.
146-139B



- Small parts boxes**
- Front 100 mm

Ref.no.
146-132A



- Metal dividers**
- Front 200 mm

Ref.no.
146-144A



- Non-slip mat**
- B x T: 530 x 500 mm

Ref.no.
65.040.530A

## Mobile Drawer cabinets depth 500 R 24-16

- Drawer full extension 100 % (FE)
- Load capacity each drawer 50 kg
- Grip handle



- 5 x drawers
- Weight 90 kg

Ref.no.	Dimensions (W x D x H) mm
68.221AM	680 x 500 x 1004

- 4 x castor wheels Ø 125 mm, 2 x with locking device
- Drawer interior dimension: 600 x 400 mm



- 7 x drawers
- Weight 102 kg

Ref.no.	Dimensions (W x D x H) mm
68.700AM	680 x 500 x 1004




- Ribbed rubber inserts**
- Front 50-200 mm

Ref.no.
65.068.530A




- Small parts boxes**
- Front 100 mm

Ref.no.
168-132A




- Metal dividers**
- Front 100 mm

Ref.no.
168-139A



- Metal dividers**
- Front 150 mm

Ref.no.
168-135A



- Metal dividers**
- Front 200 mm

Ref.no.
168-144A



- Non-slip mat**
- WxD: 680 x 500 mm

Ref.no.
65.060.530A



**Workshop trolleys T500 R 18-16**

- Drawers with full extension 100%
- With safety triggers each drawer
- Drawer interior dimension: 450 x 400 mm



- Left: 4 x drawers
- Right: 4 x drawers

Ref.no.	Dimensions (W x D x H) mm
04.11.08A	1060 x 500 x 1005

- Grip handle
- 4 x Castor wheels Ø 80 mm, 2 x with locking device
- Roll-off edge and ribbed rubber inserts



- Left: 5 x drawers
- Right: 1 x hinged door and 1 x shelf

Ref.no.	Dimensions (W x D x H) mm
04.11.05A	1060 x 500 x 1005

**Mobile workbench T500 R 18-16**

- Drawers with full extension 100%
- Load capacity 50 kg
- Drawer interior dimension: 450 x 400 mm
- Worktop in beech multiplex 25 mm
- 4 x Castor wheels Ø 80 mm, 2 x with locking device
- Grip handle



- Left: 2 x shelves
- Right: 3 x drawers

Ref.no.	Dimensions (W x D x H) mm
04.512.03A	1250 x 540 x 880



- Left: 2 x shelves, right: 4 x drawers
- 2 x Uprights 650 mm, 1 x perforated panel, 1 x magnetic panel

Ref.no.	Dimensions (W x D x H) mm	Version
04.512.04A	1250 x 540 x 880	Mobile workbench
03.900.12.02A	1000 x 600	Multi-Board

Accessories for interior dimensions 450 x 400 mm

Image	Ref.no.	Dimensions (W x D x H) mm	Version
	65.046.531A	50-200 mm	
	146-132A	100 mm	
	146-130A	100 mm	
	146-139B	100 mm	
	146-135A	150 mm	
	146-144A	200 mm	

Delivery without decoration and hooks

# Mobile logistic systems

## Mobile workbench depth 600

### Mobile workbench T600

- Worktop in beech multiplex 25 mm
- Ball guided rails
- Simple extension 88 %, load capacity each drawer 35 kg
- Drawer interior dimension: 450 x 525 mm



### Mobile workbench

- 1 x hinged door
- 2 x screwed wooden shelves

Ref.no.	Dimensions (W x D x H) mm
04.12.80A	1200 x 600 x 820

- Chassis with 2 x wheels and 2 x castor wheels with locking device Ø 200 mm
- Grip handle
- Total load capacity 500 kg



### Mobile workbench

- 1 x hinged door
- 4 x drawers

Ref.no.	Dimensions (W x D x H) mm
04.12.82A	1200 x 600 x 820


## Accessories for interior dimensions 450 x 525 mm



### Small parts boxes

- Front 100 mm


Ref.no.
128-7A



### Metal dividers

- Front 100 mm


Ref.no.
128-3A



### Metal dividers

- Front 100 mm


Ref.no.
128-1A



### Small parts boxes

- Front 100 mm

Ref.no.
128-5A



### Small parts boxes

- Front 100 mm

Ref.no.
128-6A

## Trolley

- 4 x wheels Ø 125 mm, 2 x with locking device
- Load capacity 360 kg
- Frame in steel tube 40 x 40 x 2 mm



### Assembling trolley

- Worktop in beech multiplex 40 mm
- Shelf in beech multiplex 25 mm
- Weight 68 kg

Ref.no.	Dimensions (W x D x H) mm
04.12.01A	1200 x 750 x 859
04.15.01A	1500 x 750 x 859

- Chassis with 2 x wheels and 2 x castor wheels with locking device Ø 125 mm
- Load capacity 300 kg
- Frame in steel tube 40 x 20 x 2 mm



- 2 x wooden floors

Ref.no.	Dimensions (W x D x H) mm
04.900.04A	900 x 620 x 860

## Mobile workbench depth 736 R 18-24

Mobile logistic systems


### Mobile workbench T736 R 18-24

- Drawers with full extension 100%
- Drawers with front height 75 mm - load capacity 70 kg
- Drawers with front height 75 mm and more - load capacity 100 kg
- Drawer interior dimension: 450 x 600 mm
- 4 x Wheels Ø 125 mm, 2 x with locking device
- Grip handle



- Worktop beech multiplex 40 mm
- Left: 1 x hinged door
- Right: 4 x drawers
- Weight 139 kg

Ref.no.	Dimensions (W x D x H) mm
04.12.05VA	1250 x 750 x 859



### Divider set T736 R 18-24

- Ribbed rubber inserts Front 50-200 mm
- Small parts boxes Front 100-150 mm
- Metal dividers Front 150 mm

Ref.no.	Dimensions (W x D x H) mm
500/583A	

**BESTSELLER**



- Worktop beech multiplex 40 mm
- Left: 4 x drawers
- Right: 1 x hinged door and 1 x shelf
- Weight 140 kg

Ref.no.	Dimensions (W x D x H) mm
04.12.19VA	1250 x 750 x 935

**EXPRESS**  
**72h**



### Perforated panel

- With 2 x fixing supports


Ref.no.	Dimensions (W x D x H) mm
03.81.102A	1000 x 450

## Combination

### Mobile workbench T736 R 18-24

- Consists of 04.12.19VA + 03.81.102A + 07.45.25A + 500/583A

Ref.no.	Version
04.12.19VAK	18 tlg.



### Set of 18 hooks

Ref.no.	Version
07.45.25A	18 tlg.

# Mobile logistic systems

## Mobile workbench depth 750 mm R 18-24

- Drawers with full extension 100%, load capacity 100 kg
- Drawer interior dimension: 450 x 600 mm
- Worktop in beech multiplex 40 mm
- Chassis with 2 x wheels and 2 x castor wheels with locking device Ø 200 mm
- 1 x Grip handle
- Cylinder lock 2 keys
- Total load capacity 700 kg
- Dividing Sets s. page 13, 18 and 19



- Left: 4 x drawers
- Right: 5 x drawers

Ref.no.	Dimensions (W x D x H) mm
04.12.29VA	1250 x 750 x 995



- Left: 4 x drawers
- Right: 4 x drawers

Ref.no.	Dimensions (W x D x H) mm
04.12.28VA	1250 x 750 x 995

## Mobile workbench depth 750 mm R 24-24

- Drawers with full extension 100%, load capacity 100 kg
- Drawer interior dimension: 600 x 600 mm
- 4 x Swivel wheels ø125 mm, 2 with brake
- 1 x Grip handle
- Worktop in beech multiplex 40 mm
- Cylinder lock 2 keys
- Total load capacity 400 kg
- Dividing Set s. page 4, 5, 21 and 24



### Mobile workbench

- Left: 4 x drawers
- Right: 1 x hinged door

Ref.no.	Dimensions (W x D x H) mm
04.15.41VA	1500 x 750 x 859



- Left: 3 x drawers
- Right: 3 x drawers

### Multi-Board

- 2 x Uprights, 1 x perforated panel, 1 x magnetic panel
- 1 x Shelf 320 mm
- 1 x Overhead frame, 1 x rail

Ref.no.	Dimensions in mm	Version
04.15.33VA	1500 x 750 x 859	Mobile workbench
03.900.15.30A	1500 x 1250	Multi-board

- All models are available fixed or mobile



**PC-Cabinet mobile**

- 1 x Drawer for keyboard with mouse-shelf
- 1 x Shelf
- 2 x Hinged doors
- 1 x Raised desk
- 1 x Perforated panel with flat screen mounting
- 4 x Sockets
- Square perforation in back wall for ventilation
- 4 x Castor wheels Ø 125 mm, 2 x with locking device

**PC-Cabinet mobile**

- 1 x Worktop in beech multiplex 25 mm
- 1 x Drawer
- 1 x Shelf
- 1 x Hinged door
- 4 x Sockets
- Square perforation in back wall for ventilation
- 4 x Castor wheels Ø 125 mm, 2 x with locking device

Ref.no.	Dimensions (W x D x H) mm
04.680.C125A	680 x 500 x 1610

Ref.no.	Dimensions (W x D x H) mm	Version
04.530.02A	530 x 500 x 1000	FE 100 %, 50 kg

Standing aid and Working chairs



**Standing aid with ergonomic comfort seating, PU black**

- Seat height 600 - 800 mm
- Low maintenance integral foam
- Tilted seating with 15 degrees adjustable
- 16 degrees horizontal all-round swivel

Ref.no.
05.96.28A



**Working chair, PU black with wheels**

- Seat height 470 - 670 mm
- Seat tilt 12 degrees
- Ergonomic design, asynchronous mechanic for continuous adjustment of seat and backrest tilt

Ref.no.
05.96.22A



**Working chair, PU black**

- Seat height 520 - 720 mm
- Large polyurethane and cushion seats and backrests
- Seat tilt 12 degrees
- Ergonomic design, asynchronous mechanic for continuous adjustment of seat and backrest tilt
- Synthetic star base

Ref.no.
05.96.46A

# Cabinet with hinged doors

## Cabinet with hinged doors Type 105 + 110

**BESTSELLER**



### Cabinet with hinged doors Type 110

- 2 x Shelves
- 1 x Metal border
- 2 x Drawers
- Without roller support

Ref.no.	Dimensions (W x D x H) mm
04.110B	1000 x 500 x 1000

### Roller support

- 4 x Castor wheels Ø 125 mm, 2 x with brake

Ref.no.	Dimensions (W x D x H) mm
04.110.RU125	1000 x 500 x 150



### Cabinet with hinged door Type 105

- 2 x Shelves
- 1 x Metal border
- 1 x Drawer

Ref.no.	Dimensions (W x D x H) mm
04.105B	500 x 500 x 1000



### Combination

- Consists of Cabinet with hinged door Type 105+ roller support Ø 125 mm

Ref.no.
04.105K125

**BESTSELLER**



### Cabinet with hinged doors

Ref.no.	Dimensions (W x D x H) mm	Version
04.155.04A	930 x <b>500</b> x 1950	Cabinet with hinged doors, incl. 4 shelves
04.155.04FB	Load capacity 80 kg	Extra shelves
04.156.04A	930 x <b>600</b> x 1950	Cabinet with hinged doors, incl. 4 shelves
04.156.04FB	Load capacity 80 kg	Extra shelves

Both cabinets with hinged doors on this page in RAL 7035/5012, housing light grey and doors in light blue or totally in light grey, other colours on demand.



### Cabinet with hinged doors

Ref.no.	Dimensions (W x D x H) mm	Version
04.155.12A	1200 x <b>500</b> x 1950	Cabinet with hinged doors, incl. 4 shelves
04.155.12FB	Load capacity 80 kg	Extra shelves
04.156.12A	1200 x <b>600</b> x 1950	Cabinet with hinged doors, incl. 4 shelves
04.156.12FB	Load capacity 80 kg	Extra shelves

### Shelf rack with 5 shelves

- Load cap. 200 kg each shelf
- Easy plug assembling
- Galvanised surface
- Edges of the shelves 40 mm
- Height adjustment in steps of 25 mm
- Outside dimension basic rack: width 1060 mm,
- Outside dimension add-on rack: width 1010mm
- Outside depth: depth of the shelf + 35 mm

**BESTSELLER**



### Basic module

Ref.no.	Dimensions (W x D x H) mm	Fold load in kg
05.1004G	1000 x 400 x 2000	225
05.1005G	1000 x 500 x 2000	230
05.1006G	1000 x 600 x 2000	240

### Add-on module

Ref.no.	Dimensions (W x D x H) mm	Fold load in kg
05.1004A	1000 x 400 x 2000	225
05.1005A	1000 x 500 x 2000	230
05.1006A	1000 x 600 x 2000	240

### Shelf with 4 supports

Ref.no.	Dimensions (W x D) mm	Fold load in kg
05.Z10040M	1000 x 400	225
05.Z10050M	1000 x 500	230
05.Z10060M	1000 x 600	240



### Rack-Drawer cabinet

- 7 x drawers, drawer interior dimension: 900 x 400 mm
- Drawer full extension 100 %
- Load capacity each drawer 50 kg

Ref.no.	Dimensions (W x D x H) mm	Version
05.1005-3A	1000 x 500 x 2000	Basic shelf rack with 3 shelves
05.1005A	1000 x 500 x 2000	Add-on rack with 5 shelves
90.421A	980 x 500 x 1019	Drawer cabinet



Dividing see pages 7

# Electronically controlled drawer cabinet


Tool-Server-Modular (TSM®)

Tool dispensing system


- Drawer cabinets including complete storing software
- Drawers with front height 50 mm - load capacity 60 kg
- Drawers with front height 100 mm - load capacity 100 kg
- Drawer full extension 100 % (FE)
- Drawer interior dimension: 600 x 600 mm
- All modules including **pallet truck plinth** in the housing colours
- Additional commissioning, training and transport costs



More information you'll find in the TSM catalogue 2017/18



Software Video



## TSM® - Basic module

- 8 x drawers
- Incl. storage and management software
- With touch-display

Ref.no.	Dimensions (W x D x H) mm
TS5G00700080A	700 x 725 x 1019


## TSM® - Extension module

- 8 x drawers
- Incl. storage and management software for link with basic cabinet

Ref.no.	Dimensions (W x D x H) mm
TS5A00700080A	700 x 725 x 1019

## Drawer divider


R 24-24



### Trough plates

- Front 50 mm


Ref.no.
TS-7-04A



### Small parts boxes

- Front 50 mm


Ref.no.
TS-7-13-050A



### Metal dividers

- Front 100 mm


Ref.no.
TS-7-27-100A



### Metal dividers

- Front 150 mm


Ref.no.
TS-7-26-150A



### Metal dividers

- Front 200 mm

Ref.no.
TS-7-20-200A



### Electronic divider

- Front 100 mm

Ref.no.
TS7K160-100A



**bedrunka+hirth**  
BETRIEBSEINRICHTUNGEN

**EXPRESS**  
**72h**

Dispatch within 72 hours in the colours according to the pictures

Offers apply to commercial and craft activities. Technical and price variations are possible given the price of raw material. The price is calculated without TFE, except mistakes or omission. You'll find the general terms of Bedrunka+Hirth Gerätebau GmbH on our website [www.bedrunka-hirth.de/en](http://www.bedrunka-hirth.de/en)